

*QUIZ*

?

1. A computer can be divided into four components viz. the hardware, the operating system. \_\_\_\_\_, and the users. What is the left out component?

- (a) System S/W
- (b) The application S/W
- (c) The application programs
- (d) I/O devices

Ans : c

2. Which of them in UNIX is also treated as a file?

- (a) Devices
- (b) Directories
- (c) Shell & Kernel
- (d) All the above

Ans : d

3. Which of the following characters are not recommended to be used in filenames?

- (a) Hyphen(-)
- (b) Underscore(\_)
- (c) Ampersand(&)
- (d) Period(.)

Ans:c

4. Which of these is not a block in UNIX?

- (a) Boot block
- (b) Data block
- (c) Directory block
- (d) Master block

Ans:c

5. Which of these UNIX OS command(s) is/are used for communication?

- (a) Write & talk
- (b) Wall
- (c) Message Y/message N
- (d) All the above

Ans:d

6. Which command works as a calculator?

- (a) bc
- (b) calc
- (c) calculator
- (d) %calc

Ans:a

7. Given below are options to ps(command used for viewing processes); match the process options to their correct significance....

I. -f

II. -e or -A

III. -a

IV. -l

(a) I-C,II-B,III-D,IV-A

(b) I-D,II-C,III-A,IV-B

(c) I-B,II-A,III-D,IV-C

(d) I-B,II-D,III-A,IV-C

A. processes of all users

B. long listing showing memory related information

C. all processes including users & system processes

D. full listing showing the PPID

Ans:b

8. Which of these is/are function (s) performed by a loader?

(a) Allocation

(b) Linking

(c) Both a & b

(d) None of these

Ans:c

9. Which command is used to remove all files in a directory?

- (a) rm
- (b) \$rm \*
- (c) \$rm
- (d) %rm

Ans:b

10. To know PID of current shell which command is used?

- (a) \$echo \$\$
- (b) %echo
- (c) \$ PID
- (d) \$PID \*

Ans:a

11. The command :\$ cd./ progs is same as which of the following commands?

- (a) \$cd.progs
- (b) \$cd progs
- (c) cd progs
- (d) \$cd/progs

Ans:b

12. Which command is used for running jobs in background?

- (a) bck
- (b) \$bck
- (c) nohup
- (d) %back

Ans:c

13. In UNIX's visual editor, which command is used to delete the current line?

- (a) dd
- (b) dw
- (c) dl
- (d) None of these

Ans:a

14. Which of the following cursor relocation command means move to the end of the line?

- (a) 0
- (b) \$
- (c) %
- (d) end

Ans:b

15. Which command is used for renaming files?

- (a) %rename
- (b) \$ren
- (c) \$mv
- (d) \*rm

Ans:c

16. Which command reads the inode to fetch a file's attribute?

- (a) ls
- (b) read
- (c) wr
- (d) rd

Ans:a

17. System programming is the activity of \_\_\_\_\_...?

- (a) Software design
- (b) Hardware design
- (c) Computer programming
- (d) None of these

Ans:c

18. Which command is used for displaying data in octal?

- (a) od
- (b) octal
- (c) oct
- (d) %oct

Ans:a

19. When a process dies it immediately moves to \_\_\_\_\_ state?

- (a) running
- (b) waiting
- (c) dead
- (d) zombie

Ans:d

20. An ordinary file is also termed as....?

- (a) Directory file
- (b) Regular file
- (c) Text file
- (d) None of these

Ans:b



21. The \_\_\_\_\_ interacts with the user and the \_\_\_\_\_ interacts with the hardware.

- (a) Kernel and shell
- (b) Kernel and Bourne Shell
- (c) Shell and kernel
- (d) Bash and Cshell

Ans:c

22. Linux uses which shell by default.

- (a) Bourne Shell
- (b) Korn Shell
- (c) C Shell
- (d) Bash Shell

Ans:d

23. Which option of ls is used to get output in multiple columns.

- (a) \$ ls -axF
- (b) \$ ls -x
- (c) \$ ls -Fx
- (d) \$ ls -xR

Ans: b

24. The spooling facility in System V is provided by the \_\_\_\_\_command.

- (a) lp
- (b) prn
- (c) prl
- (d) lpr

Ans:a

25. DOS files uses\_\_\_\_\_ as the line terminator, while UNIX uses\_\_\_\_\_.

- (a) LF and foo
- (b) tty and mv \* . . /bin
- (c) tar and -rf
- (d) CR-LF and LF

Ans:d

26. Which of the following commands are used to convert files between DOS and UNIX ?

- (a) UNIX-2-DOS/cat
- (b) dos2unix and unix2 dos
- (c) DOSmv2UNIX and UNIXmv2DOS
- (d) Both (a) and (c)

Ans:b

27. Where is the shell's pathname and PID is stored ?

- (a) BOURNE SHELL and special variable \*\*
- (b) CSHELL and special variable ~~
- (c) SHELL and special variable \$\$
- (d) BASH SHELL and special variable &&

Ans:c

28. A process after creation is in\_\_\_\_\_ state and after its death it moves to\_\_\_\_\_ state.

- (a) Runnable state and Zombie state
- (b) Zombie state and Suspended state
- (c) Fork state and getty state
- (d) Wait state and Kill state

Ans:a

29. System processes are often called\_\_\_\_\_

- (a) Batch queue/processes
- (b) Crontab
- (c) Daemons
- (d) Running jobs

Ans:c

30. Can we access any file if . Inode is not working ?

- (a) Yes
- (b) No

Ans:b

31. The linker is ?

- (a) Is same as the loader
- (b) Is required to create a load module
- (c) Is always used before programs are executed
- (d) None of the above

Ans:b

32. In a two pass assembler the object code generation is done during the ?

- (a) Second pass
- (b) First pass
- (c) Zeroeth pass
- (d) Not done by assembler

Ans:a

33. Interpretation phase is a collection of \_\_\_\_\_

- (a) Tokens
- (b) Intermediate Code
- (c) Optimized Code
- (d) Routines

Ans:d

34. Which among the 7 phases of Compilation process uses macro definitions to define macro operators in matrix?

- (a) Syntax Analysis
- (b) Assemble and Output
- (c) Code Generation
- (d) Machine Independent Optimization

Ans:c

35. The operating System is responsible for the following activities in connection with disk management/secondary storage management.

- (a) Free space management
- (b) Storage Allocation
- (c) Disk Scheduling
- (d) All of the above

Ans:d