

SOFTWARE ENGINEERING




LECTURE-20


System Engineering

The slide features a decorative left margin with several vertical lines of varying thickness and color (shades of orange and light brown). A cluster of five orange circles of different sizes is positioned in the lower-left quadrant, partially overlapping the text 'System Engineering'.

TOPICS COVERED

- **Computer-based system**
- **System engineering process**
- **“Business process” engineering**
- **Product engineering**





COMPUTER-BASED SYSTEM

INTRODUCTION

- Software engineering occurs as a consequence of system engineering
- System engineering may take on two different forms depending on the application domain
 - “Business process” engineering – conducted when the context of the work focuses on a business enterprise
 - Product engineering – conducted when the context of the work focuses on a product that is to be built
- Both forms bring order to the development of computer-based systems
- Both forms work to allocate a role for computer software and to establish the links that tie software to other elements of a computer-based system

SYSTEM


- System (Webster)
 - A set or arrangement of things so related as to form a unity or organic whole
 - A set of facts, principles, rules. etc., ... to show a logical plan linking the various parts
 - A method or plan of classification or arrangement
 - An established way of doing something such as a method or procedure

COMPUTER-BASED SYSTEM

- Defined: A set or arrangement of elements that are organized to accomplish some predefined goal by processing information
- The goal may be to support some business function or to develop a product that can be sold to generate business revenue
- A computer-based system makes use of system elements
- Elements constituting one system may represent one macro element of a still larger system
- Example
 - A factory automation system may consist of a numerical control machine, robots, and data entry devices; each can be its own system
 - At the next lower hierarchical level, a manufacturing cell is its own computer-based system that may integrate other macro elements
- The role of the system engineer is to define the elements of a specific computer-based system in the context of the overall hierarchy of systems

COMPUTER-BASED SYSTEM (CONTINUED)

- A computer-based system makes use of the following four system elements that combine in a variety of ways to transform information
 - **Software:** computer programs, data structures, and related work products that serve to effect the logical method, procedure, or control that is required
 - **Hardware:** electronic devices that provide computing capability, interconnectivity devices that enable flow of data, and electromechanical devices that provide external functions
 - **People:** Users and operators of hardware and software
 - **Database:** A large, organized collection of information that is accessed via software and persists over time
- The uses of these elements are described in the following:
 - **Documentation:** Descriptive information that portrays the use and operation of the system
 - **Procedures:** The steps that define the specific use of each system element or the procedural context in which the system resides




SYSTEM ENGINEERING PROCESS

SYSTEM ENGINEERING PROCESS

- The system engineering process begins with a world view; the business or product domain is examined to ensure that the proper business or technology context can be established
- The world view is refined to focus on a specific domain of interest
- Within a specific domain, the need for targeted system elements is analyzed
- Finally, the analysis, design, and construction of a targeted system element are initiated
- At the world view level, a very broad context is established
- At the bottom level, detailed technical activities are conducted by the relevant engineering discipline (e.g., software engineering)

"Always design a thing by considering it in its next larger context – a chair in a room, a room in a house, a house in an environment, and environment in a city plan"

SYSTEM ENGINEERING HIERARCHY



SYSTEM MODELING

(AT EACH VIEW LEVEL)

- Defines the processes (e.g., domain classes in OO terminology) that serve the needs of the view under consideration
- Represents the behavior of the processes and the assumptions on which the behavior is based
- Explicitly defines intra-level and inter-level input that form links between entities in the model
- Represents all linkages (including output) that will enable the engineer to better understand the view
- May result in models that call for one of the following
 - Completely automated solution
 - A semi-automated solution
 - A non-automated (i.e., manual) approach


FACTORS TO CONSIDER WHEN CONSTRUCTING A MODEL

- Assumptions
 - These reduce the number of possible variations, thus enabling a model to reflect the problem in a reasonable manner
- Simplifications
 - These enable the model to be created in a timely manner
- Limitations
 - These help to bound the maximum and minimum values of the system
- Constraints
 - These guide the manner in which the model is created and the approach taken when the model is implemented
- Preferences
 - These indicate the preferred solution for all data, functions, and behavior
 - They are driven by customer requirements

Optimization of some of these factors may be mutually exclusive

SYSTEM MODELING WITH UML


- The Uniform Modeling Language (UML) provides diagrams for analysis and design at both the system and software levels
- Examples
 - Use case diagrams
 - Activity diagrams
 - Class diagrams
 - State diagrams



“BUSINESS PROCESS” ENGINEERING

BUSINESS PROCESS ENGINEERING

- “Business process” engineering defines architectures that will enable a business to use information effectively
- It involves the specification of the appropriate computing architecture and the development of the software architecture for the organization's computing resources
- Three different architectures must be analyzed and designed within the context of business objectives and goals
 - The data architecture provides a framework for the information needs of a business (e.g., ERD)
 - The application architecture encompasses those elements of a system that transform objects within the data architecture for some business purpose
 - The technology infrastructure provides the foundation for the data and application architectures
 - It includes the hardware and software that are used to support the applications and data




PRODUCT ENGINEERING

PRODUCT ENGINEERING

- Product engineering translates the customer's desire for a set of defined capabilities into a working product
- It achieves this goal by establishing a product architecture and a support infrastructure
 - Product architecture components consist of people, hardware, software, and data
 - Support infrastructure includes the technology required to tie the components together and the information to support the components
- Requirements engineering elicits the requirements from the customer and allocates function and behavior to each of the four components
- System component engineering happens next as a set of concurrent activities that address each of the components separately
 - Each component takes a domain-specific view but maintains communication with the other domains
 - The actual activities of the engineering discipline takes on an element view
- Analysis modeling allocates requirements into function, data, and behavior
- Design modeling maps the analysis model into data/class.

PRODUCT ENGINEERING HIERARCHY



SUMMARY

- Computer-based system
- System engineering process
- Business process engineering
- Product engineering

