


Entity-Relationship Diagram Mapping Constraints, Keys



Introduction

- ▶ A *database* can be modeled as:
 - a collection of entities,
 - relationship among entities.
- ▶ An **entity** is an object that exists and is distinguishable from other objects.
 - Example: specific person, company, event, plant
- ▶ Entities have *attributes*
 - Example: people have *names* and *addresses*
- ▶ An **entity set** is a set of entities of the same type that share the same properties.
 - Example: set of all persons, companies, trees, holidays

Entity Sets *customer* and *loan*

customer_id customer_ customer_ customer_
 name street city

loan_ amount
number

321-12-3123	Jones	Main	Harrison
-------------	-------	------	----------

019-28-3746	Smith	North	Rye
-------------	-------	-------	-----

677-89-9011	Hayes	Main	Harrison
-------------	-------	------	----------

555-55-5555	Jackson	Dupont	Woodside
-------------	---------	--------	----------

244-66-8800	Curry	North	Rye
-------------	-------	-------	-----

963-96-3963	Williams	Nassau	Princeton
-------------	----------	--------	-----------

335-57-7991	Adams	Spring	Pittsfield
-------------	-------	--------	------------

L-17	1000
------	------

L-23	2000
------	------

L-15	1500
------	------

L-14	1500
------	------

L-19	500
------	-----

L-11	900
------	-----

L-16	1300
------	------

customer

loan

Relationship Sets

- ▶ A relationship is an association among several entities

Example:

Hayes depositor A-102
customer entity relationship set *account* entity

- ▶ A relationship set is a mathematical relation among $n \geq 2$ entities, each taken from entity sets


$$\{(e_1, e_2, \dots, e_n) \mid e_1 \in E_1, e_2 \in E_2, \dots, e_n \in E_n\}$$

where (e_1, e_2, \dots, e_n) is a relationship

- Example:


$(\text{Hayes}, \text{A-102}) \in \textit{depositor}$

Relationship Set *borrower*



Relationship Sets (Cont.)

- ▶ An attribute can also be property of a relationship set.
- ▶ For instance, the *depositor* relationship set between entity sets *customer* and *account* may have the attribute *access-date*



Degree of a Relationship Set

- ▶ Refers to number of entity sets that participate in a relationship set.
- ▶ Relationship sets that involve two entity sets are **binary** (or degree two). Generally, most relationship sets in a database system are binary.
- ▶ Relationship sets may involve more than two entity sets.
 - ▶ Example: Suppose employees of a bank may have jobs (responsibilities) at multiple branches, with different jobs at different branches. Then there is a ternary relationship set between entity sets *employee*, *job*, and *branch*
- ▶ Relationships between more than two entity sets are rare. Most relationships are binary. (More on this later.)

Attributes


- ▶ An entity is represented by a set of attributes, that is descriptive properties possessed by all members of an entity set.

Example:

*customer = (customer_id,
customer_name,
customer_street, customer_city)*

- ▶ Domain – the set of permitted values for each attribute
- ▶ Attribute types:
 - *Simple* and *composite* attributes.
 - *Single-valued* and *multi-valued* attributes
 - Example: multivalued attribute: *phone_numbers*
 - *Derived* attributes
 - Can be computed from other attributes
 - Example: age, given date_of_birth


Composite Attributes



Mapping Cardinality Constraints

- ▶ Express the number of entities to which another entity can be associated via a relationship set.
- ▶ Most useful in describing binary relationship sets.
- ▶ For a binary relationship set the mapping cardinality must be one of the following types:
 - One to one
 - One to many
 - Many to one
 - Many to many

Mapping Cardinalities




One to one

One to many

Note: Some elements in A and B may not be mapped to any elements in the other set

Mapping Cardinalities



Many to one

Many to many

Note: Some elements in A and B may not be mapped to any elements in the other set


Keys

- ▶ A **super key** of an entity set is a set of one or more attributes whose values uniquely determine each entity.
- ▶ A **candidate key** of an entity set is a minimal super key
 - *Customer_id* is candidate key of *customer*
 - *account_number* is candidate key of *account*
- ▶ Although several candidate keys may exist, one of the candidate keys is selected to be the **primary key**.

Keys for Relationship Sets


- ▶ The combination of primary keys of the participating entity sets forms a super key of a relationship set.
 - *(customer_id, account_number)* is the super key of *depositor*
 - *NOTE: this means a pair of entity sets can have at most one relationship in a particular relationship set.*
 - Example: if we wish to track all *access_dates* to each account by each customer, we cannot assume a relationship for each access. We can use a multivalued attribute though
- ▶ Must consider the mapping cardinality of the relationship set when deciding what are the candidate keys
- ▶ Need to consider semantics of relationship set in selecting the *primary key* in case of more than one candidate key

E-R Diagrams




- n Rectangles represent entity sets.
- n Diamonds represent relationship sets.
- n Lines link attributes to entity sets and entity sets to relationship sets.
- n Ellipses represent attributes
 - | Double ellipses represent multivalued attributes.
 - | Dashed ellipses denote derived attributes.
- n Underline indicates primary key attributes (will study later)

E-R Diagram With Composite, Multivalued, and Derived Attributes




Relationship Sets with Attributes



Roles

- ▶ Entity sets of a relationship need not be distinct
- ▶ The labels “manager” and “worker” are called **roles**; they specify how employee entities interact via the works_for relationship set.
- ▶ Roles are indicated in E-R diagrams by labeling the lines that connect diamonds to rectangles.
- ▶ Role labels are optional, and are used to clarify semantics of the relationship




Cardinality Constraints

- ▶ We express cardinality constraints by drawing either a directed line (\rightarrow), signifying “one,” or an undirected line ($—$), signifying “many,” between the relationship set and the entity set.
- ▶ One-to-one relationship:
 - A customer is associated with at most one loan via the relationship *borrower*
 - A loan is associated with at most one customer via *borrower*


One-To-Many Relationship

- ▶ In the one-to-many relationship a loan is associated with at most one customer via *borrower*, a customer is associated with several (including 0) loans via *borrower*




Many-To-One Relationships

- ▶ In a many-to-one relationship a loan is associated with several (including 0) customers via *borrower*, a customer is associated with at most one loan via *borrower*




Many-To-Many Relationship

- ▶ A customer is associated with several (possibly 0) loans via borrower
- ▶ A loan is associated with several (possibly 0) customers via borrower




Participation of an Entity Set in a Relationship Set

- n Total participation (indicated by double line): every entity in the entity set participates in at least one relationship in the relationship set
 - | E.g. participation of loan in borrower is total
 - ▶ every loan must have a customer associated to it via borrower
- n Partial participation: some entities may not participate in any relationship in the relationship set
 - | Example: participation of customer in borrower is partial




Alternative Notation for Cardinality Limits

- n Cardinality limits can also express participation constraints



E-R Diagram with a Ternary Relationship



Applications

Database design is a very difficult problem. Recently, the Entity–Relationship Model has been found very useful in helping the database designer to identify the information needs of users, and to design logical data structures in databases. In this paper, an application of the Entity–Relationship Model to the design of an order entry database is presented. Applications of the Entity–Relationship Model to other areas (such as DBMS design, data semantics, and distributed databases) are also briefly discussed.

Assignment

- ▶ Draw and explain E-R Diagram Of an organization having customers, salespersons and products. (Assume attributes for each entity).