



Various view of Data  
Introduction of data Model  
Introduction to database language




# Introduction

The DBMS architecture describes how data in the database is viewed by the users. It is not concerned with how the data is handled and processed by the DBMS. The database users are provided with an abstract view of the data by hiding certain details of how data is physically stored. This enables the users to manipulate the data without worrying about where it is located or how it is actually stored.



# View of Data

An architecture for a database system




# Instances and Schemas

- ▶ Similar to types and variables in programming languages
- ▶ **Schema** – the logical structure of the database
  - Example: The database consists of information about a set of customers and accounts and the relationship between them)
  - Analogous to type information of a variable in a program
  - **Physical schema:** database design at the physical level
  - **Logical schema:** database design at the logical level
- ▶ **Instance** – the actual content of the database at a particular point in time
  - Analogous to the value of a variable
- ▶ **Physical Data Independence** – the ability to modify the physical schema without changing the logical schema
  - Applications depend on the logical schema
  - In general, the interfaces between the various levels and components should be well defined so that changes in some parts do not seriously influence others.

# Data Models

- ▶ A collection of tools for describing
  - Data
  - Data relationships
  - Data semantics
  - Data constraints
- ▶ Relational model
- ▶ Entity–Relationship data model (mainly for database design)
- ▶ Object–based data models (Object–oriented and Object–relational)
- ▶ Semistructured data model (XML)
- ▶ Other older models:
  - Network model
  - Hierarchical model

# Data Manipulation Language (DML)

- ▶ Language for accessing and manipulating the data organized by the appropriate data model
    - DML also known as query language
  - ▶ Two classes of languages
    - **Procedural** – user specifies what data is required and how to get those data
    - **Declarative (nonprocedural)** – user specifies what data is required without specifying how to get those data
  - ▶ SQL is the most widely used query language
- 

# Data Definition Language (DDL)

- ▶ Specification notation for defining the database schema


Example: **create table** *account* (  
                          *account\_number*    **char(10)**,  
                          *branch\_name*      **char(10)**,  
                          *balance*          **integer**)

- ▶ DDL compiler generates a set of tables stored in a *data dictionary*
- ▶ Data dictionary contains metadata (i.e., data about data)
  - Database schema
  - Data *storage and definition* language
    - Specifies the storage structure and access methods used
  - Integrity constraints
    - Domain constraints
    - Referential integrity (e.g. *branch\_name* must correspond to a valid branch in the *branch* table)
  - Authorization

# Relational Model

- ▶ Example of tabular data in the relational model

Attributes



<i>customer_id</i>	<i>customer_name</i>	<i>customer_street</i>	<i>customer_city</i>	<i>account_number</i>
192-83-7465	Johnson	12 Alma St.	Palo Alto	A-101
192-83-7465	Johnson	12 Alma St.	Palo Alto	A-201
677-89-9011	Hayes	3 Main St.	Harrison	A-102
182-73-6091	Turner	123 Putnam St.	Stamford	A-305
321-12-3123	Jones	100 Main St.	Harrison	A-217
336-66-9999	Lindsay	175 Park Ave.	Pittsfield	A-222
019-28-3746	Smith	72 North St.	Rye	A-201



# A Sample Relational Database

<i>customer_id</i>	<i>customer_name</i>	<i>customer_street</i>	<i>customer_city</i>
192-83-7465	Johnson	12 Alma St.	Palo Alto
677-89-9011	Hayes	3 Main St.	Harrison
182-73-6091	Turner	123 Putnam Ave.	Stamford
321-12-3123	Jones	100 Main St.	Harrison
336-66-9999	Lindsay	175 Park Ave.	Pittsfield
019-28-3746	Smith	72 North St.	Rye

(a) The *customer* table

<i>account_number</i>	<i>balance</i>
A-101	500
A-215	700
A-102	400
A-305	350
A-201	900
A-217	750
A-222	700

(b) The *account* table

<i>customer_id</i>	<i>account_number</i>
192-83-7465	A-101
192-83-7465	A-201
019-28-3746	A-215
677-89-9011	A-102
182-73-6091	A-305
321-12-3123	A-217
336-66-9999	A-222
019-28-3746	A-201

(c) The *depositor* table

# SQL

- ▶ **SQL**: widely used non-procedural language
  - Example: Find the name of the customer with customer-id 192-83-7465

```
select customer.customer_name
from customer
where customer.customer_id = '192-83-7465'
```
  - Example: Find the balances of all accounts held by the customer with customer-id 192-83-7465

```
select account.balance
from depositor, account
where depositor.customer_id = '192-83-7465' and
depositor.account_number =
account.account_number
```
- ▶ Application programs generally access databases through one of
  - Language extensions to allow embedded SQL
  - Application program interface (e.g., ODBC/JDBC) which allow SQL queries to be sent to a database

# Database Design

The process of designing the general structure of the database:

- ▶ Logical Design – Deciding on the database schema. Database design requires that we find a “good” collection of relation schemas.
  - Business decision – What attributes should we record in the database?
  - Computer Science decision – What relation schemas should we have and how should the attributes be distributed among the various relation schemas?
- ▶ Physical Design – Deciding on the physical layout of the database

# Application

The main advantage of three-schema architecture is that it provides data independence. Data independence is the ability to change the schema at one level of the database system without having to change the schema at the other levels.

