



Artificial Intelligence



Knowledge representation in AI

Symbolic Logic

- Symbolic logic representation
- Formal system
- Propositional logic
- Predicate logic
- Theorem proving



1. Knowledge representation

- Why Symbolic logic
- Power of representation
- Formal language: syntax, semantics
- Conceptualization + representation in a language
- Inference rules

2. Formal systems

- A formal system is a quadruple $S = \langle A, F, A, \mathfrak{R} \rangle$
- A *rule of inference* $R \in \mathfrak{R}$ of arity n is an association:

$$R \subseteq F^n \times F, \bar{y} = \langle y_1, \dots, y_n \rangle \xrightarrow{R} x, x, y_i \in F, \forall i = 1, n$$

- Immediate consequence

- Be the set of premises $\Gamma = \{y_1, \dots, y_n\}$ $E_0 = \Gamma \cup A$

$$E_1 = E_0 \cup_{n \geq 1} \{x | \exists \bar{y} \in E_0^n, \bar{y} \mathfrak{R} x\} \quad E_2 = E_1 \cup_{n \geq 1} \{x | \exists \bar{y} \in E_1^n, \bar{y} \mathfrak{R} x\}$$

- An element E_i ($i \geq 0$)

is an immediate **consequence** of a set of premises Γ

Formal systems - cont

- If $E_0 = A$ ($\Gamma = \phi$) then the elements of E_i are called theorems
- Be $x \in E_i$ a theorem; it can be obtained by successive applications of i.r on the formulas in E_i
- Sequence of rules - **demonstration** . $\vdash_S x \vdash_{\mathcal{R}} x$
- If $E_0 = \Gamma \cup A$ then $x \in E_i$ can be deduced from Γ
 $\Gamma \vdash_S x$



3. Propositional logic

- Formal language

- **3.1 Syntax**

- Alphabet

- A **well-formed formula** (wff) in propositional logic is:

(1) An atom is a wff

(2) If P is a wff, then $\sim P$ is a wff.

(3) If P and Q are wffs then $P \wedge Q$, $P \vee Q$, $P \rightarrow Q$ si $P \leftrightarrow Q$ are wffs.

(4) The set of all wffs can be generated by repeatedly applying rules (1)..(3).



3.2 Semantics

- Interpretation
- *Evaluation function of a formula*
- Properties of wffs
 - Valid / tautology
 - Satisfiable
 - Contradiction
 - Equivalent formulas



Semantics - cont

- A formula F is a logical consequence of a formula P
- A formula F is a logical consequence of a set of formulas P_1, \dots, P_n
- Notation of logical consequence $P_1, \dots, P_n \Rightarrow F$.
- **Theorem.** Formula F is a logical consequence of a set of formulas P_1, \dots, P_n if the formula $P_1, \dots, P_n \rightarrow F$ is valid.
- **Teorema.** Formula F is a logical consequence of a set of formulas P_1, \dots, P_n if the formula $P_1 \wedge \dots \wedge P_n \wedge \sim F$ is a contradiction.

Equivalence rules

Idempotentia	$P \vee P \equiv P$	$P \wedge P \equiv P$	
Asociativitate	$(P \vee Q) \vee R \equiv P \vee (Q \vee R)$	$(P \wedge Q) \wedge R \equiv P \wedge (Q \wedge R)$	
Comutativitate	$P \vee Q \equiv Q \vee P$	$P \wedge Q \equiv Q \wedge P$	$P \leftrightarrow Q \equiv Q \leftrightarrow P$
Distributivitate	$P \wedge (Q \vee R) \equiv (P \wedge Q) \vee (P \wedge R)$	$P \vee (Q \wedge R) \equiv (P \vee Q) \wedge (P \vee R)$	
De Morgan	$\sim (P \vee Q) \equiv \sim P \wedge \sim Q$	$\sim (P \wedge Q) \equiv \sim P \vee \sim Q$	
Eliminarea implicatiei	$P \rightarrow Q \equiv \sim P \vee Q$		
Eliminarea implicatiei duble	$P \leftrightarrow Q \equiv (P \rightarrow Q) \wedge (Q \rightarrow P)$		



3.3 Obtaining new knowledge

- Conceptualization
- Representation in a formal language
- Model theory

$$\text{KB} \models_{\text{x}} \text{M}$$

- Proof theory

$$\text{KB} \vdash_{\text{s}} \text{M}$$

- Monotonic logics
- Non-monotonic logics



3.4 Inference rules

- *Modus Ponens*
$$\frac{P \quad P \rightarrow Q}{Q}$$
- *Substitution*
- *Chain rule*
$$\frac{P \rightarrow Q \quad Q \rightarrow R}{P \rightarrow R}$$
- *AND introduction*
$$\frac{P \quad Q}{P \wedge Q}$$
- *Transposition*
$$\frac{P \rightarrow Q}{\sim Q \rightarrow \sim P}$$



Example

- *Mihai has money*
- *The car is white*
- *The car is nice*
- *If the car is white or the car is nice and Mihai has money then Mihai goes to the mountain*
- *B*
- *A*
- *F*
- $(A \vee F) \wedge B \rightarrow C$



4. First order predicate logic

4.1 Syntax

Be D a domain of values. A *term* is defined as:

- (1) A constant is a term with a fixed value belonging to D .
- (2) A variable is a term which may take values in D .
- (3) If f is a function of n arguments and t_1, \dots, t_n are terms then $f(t_1, \dots, t_n)$ is a term.
- (4) All terms are generated by the application of rules (1)...(3).




Syntax PL - cont

- Predicates of arity n
- Atom or atomic formula.
- Literal

A *well formed formula (wff)* in first order predicate logic is defined as:

- (1) A atom is an wff
- (2) If $P[x]$ is a wff then $\sim P[x]$ is an wff.
- (3) If $P[x]$ and $Q[x]$ are wffs then $P[x] \wedge Q[x]$, $P[x] \vee Q[x]$, $P \rightarrow Q$ and $P \leftrightarrow Q$ are wffs.
- (4) If $P[x]$ is an wff then $\forall x P[x]$, $\exists x P[x]$ are wffs.
- (5) The set of all wffs can be generated by repeatedly applying rules (1)..(4).

Syntax - schematically





CNF, DNF

- Conjunctive normal form (CNF)

$$F_1 \wedge \dots \wedge F_n,$$

$$F_i, i=1, n$$

$$(L_{i1} \vee \dots \vee L_{im}).$$

- Disjunctive normal form (DNF)

$$F_1 \vee \dots \vee F_n,$$

$$F_i, i=1, n$$

$$(L_{i1} \wedge \dots \wedge L_{im})$$



4.2 Semantics of PL

- *The interpretation of a formula* F in first order predicate logic consists of fixing a domain of values (non empty) D and of an association of values for every constant, function and predicate in the formula F as follows:
 - (1) Every constant has an associated value in D .
 - (2) Every function f , of arity n , is defined by the correspondence $D^n \rightarrow D$ where
$$D^n = \{(x_1, \dots, x_n) \mid x_1 \in D, \dots, x_n \in D\}$$
 - (3) Every predicate of arity n , is defined by the correspondence $P: D^n \rightarrow \{t, f\}$

Interpretation - example

$$(\forall x)((A(a, x) \vee B(f(x))) \wedge C(x)) \rightarrow D(x)$$

$$D = \{1, 2\}$$

a	f(1)	f(2)	A(2,1)	A(2,2)	B(1)	B(2)	C(1)	C(2)	D(1)	D(2)
2	2	1	a	f	a	f	a	f	f	a

$$X=1 \quad ((\mathbf{a} \vee \mathbf{f}) \wedge \mathbf{a}) \rightarrow \mathbf{f}$$

$$X=2 \quad ((\mathbf{f} \vee \mathbf{a}) \wedge \mathbf{f}) \rightarrow \mathbf{a}$$



4.3 Properties of wffs in PL

- Valid / tautology
- Satisfiable
- Contradiction
- Equivalent formulas
- A formula F is a logical consequence of a formula P
- A formula F is a logical consequence of a set of formulas P_1, \dots, P_n
- Notation of logical consequence $P_1, \dots, P_n \Rightarrow F$.
- **Theorem.** Formula F is a logical consequence of a set of formulas P_1, \dots, P_n if the formula $P_1 \wedge \dots \wedge P_n \rightarrow F$ is valid.
- **Teorema.** Formula F is a logical consequence of a set of formulas P_1, \dots, P_n if the formula $P_1 \wedge \dots \wedge P_n \wedge \sim F$ is a contradiction.



Equivalence of quantifiers

$$(Qx)F[x] \vee G \equiv (Qx)(F[x] \vee G)$$

$$(Qx)F[x] \wedge G \equiv (Qx)(F[x] \wedge G)$$

$$\sim ((\forall x)F[x]) \equiv (\exists x)(\sim F[x])$$

$$\sim ((\exists x)F[x]) \equiv (\forall x)(\sim F[x])$$

$$(\forall x)F[x] \wedge (\forall x)H[x] \equiv (\forall x)(F[x] \wedge H[x])$$

$$(\exists x)F[x] \vee (\exists x)H[x] \equiv (\exists x)(F[x] \vee H[x])$$

$$(Q_1x)F[x] \wedge (Q_2x)H[x] \equiv (Q_1x)(Q_2z)(F[x] \wedge H[z])$$

$$(Q_1x)F[x] \vee (Q_2x)H[x] \equiv (Q_1x)(Q_2z)(F[x] \vee H[z])$$



Examples

- All apples are red
- All objects are red apples
- There is a red apple
- All packages in room 27 are smaller than any package in room 28
- All purple mushrooms are poisonous
- $\forall x (\text{Purple}(x) \wedge \text{Mushroom}(x)) \Rightarrow \text{Poisonous}(x)$
- $\forall x \text{Purple}(x) \Rightarrow (\text{Mushroom}(x) \Rightarrow \text{Poisonous}(x))$
- $\forall x \text{Mushroom}(x) \Rightarrow (\text{Purple}(x) \Rightarrow \text{Poisonous}(x))$

$(\forall x)(\exists y) \text{loves}(x,y)$

$(\exists y)(\forall x) \text{loves}(x,y)$



4.4. Inference rules in PL

- Modus Ponens
- Substitution
- Chaining
- Transpozition
- AND elimination (AE)
- AND introduction (AI)
- Universal instantiation (UI)
- Existential instantiation (EI)
- Rezolution

Example

- Horses are faster than dogs and there is a greyhound that is faster than every rabbit. We know that Harry is a horse and that Ralph is a rabbit. Derive that Harry is faster than Ralph.
- Horse(x) Greyhound(y)
- Dog(y) Rabbit(z)
- Faster(y,z))

$$\forall x \forall y \text{ Horse}(x) \wedge \text{Dog}(y) \Rightarrow \text{Faster}(x,y)$$

$$\exists y \text{ Greyhound}(y) \wedge (\forall z \text{ Rabbit}(z) \Rightarrow \text{Faster}(y,z))$$

$$\text{Horse}(\text{Harry})$$

$$\text{Rabbit}(\text{Ralph})$$

$$\forall y \text{ Greyhound}(y) \Rightarrow \text{Dog}(y)$$

$$\forall x \forall y \forall z \text{ Faster}(x,y) \wedge \text{Faster}(y,z) \Rightarrow \text{Faster}(x,z)$$

Proof example

■ **Theorem:** $\text{Faster}(\text{Harry}, \text{Ralph})$?

■ **Proof using inference rules**

1. $\forall x \forall y \text{Horse}(x) \wedge \text{Dog}(y) \Rightarrow \text{Faster}(x,y)$

2. $\exists y \text{Greyhound}(y) \wedge (\forall z \text{Rabbit}(z) \Rightarrow \text{Faster}(y,z))$

3. $\forall y \text{Greyhound}(y) \Rightarrow \text{Dog}(y)$

4. $\forall x \forall y \forall z \text{Faster}(x,y) \wedge \text{Faster}(y,z) \Rightarrow \text{Faster}(x,z)$

5. $\text{Horse}(\text{Harry})$

6. $\text{Rabbit}(\text{Ralph})$

7. $\text{Greyhound}(\text{Greg}) \wedge (\forall z \text{Rabbit}(z) \Rightarrow \text{Faster}(\text{Greg},z))$ 2, EI

8. $\text{Greyhound}(\text{Greg})$ 7, AE

9. $\forall z \text{Rabbit}(z) \Rightarrow \text{Faster}(\text{Greg},z)$ 7, AE

Proof example - cont

10. $\text{Rabbit}(\text{Ralph}) \Rightarrow \text{Faster}(\text{Greg}, \text{Ralph})$ 9, UI
11. $\text{Faster}(\text{Greg}, \text{Ralph})$ 6, 10, MP
12. $\text{Greyhound}(\text{Greg}) \Rightarrow \text{Dog}(\text{Greg})$ 3, UI
13. $\text{Dog}(\text{Greg})$ 12, 8, MP
14. $\text{Horse}(\text{Harry}) \wedge \text{Dog}(\text{Greg}) \Rightarrow \text{Faster}(\text{Harry}, \text{Greg})$ 1, UI
15. $\text{Horse}(\text{Harry}) \wedge \text{Dog}(\text{Greg})$ 5, 13, AI
16. $\text{Faster}(\text{Harry}, \text{Greg})$ 14, 15, MP
17. $\text{Faster}(\text{Harry}, \text{Greg}) \wedge \text{Faster}(\text{Greg}, \text{Ralph}) \Rightarrow \text{Faster}(\text{Harry}, \text{Ralph})$
4, UI
18. $\text{Faster}(\text{Harry}, \text{Greg}) \wedge \text{Faster}(\text{Greg}, \text{Ralph})$ 16, 11, AI
19. $\text{Faster}(\text{Harry}, \text{Ralph})$ 17, 19, MP